

Imagine.

 Roland®

## Roland DG North Europe

### 3D SRP price list, EUR

Czech Republic, Denmark, Estonia, Faroe Island, Finland, Greenland, Hungary, Iceland, Latvia, Lithuania, Norway, Poland, Slovakia, Sweden

Januar 2019

The pricelist from Roland DG North Europe A/S is subject to change at any time without prior notice. This pricelist replaces all preceding pricelists. Alterations, printing errors and misprints excepted.



## Milling Machine

### SRM Series

Material	Material Description	EUR price
SRM-20	MILLING MACHINE	3.499,00

## Milling Machines

### MDX Series

Material	Material Description	EUR price
MDX-40A	DESKTOP MILLING MACHINE	5.900,00
MDX-50	DESKTOP MILLING MACHINE WITH ATC 3D MILLING MACHINE	11.000,00
MDX-50 BUNDLE	DESKTOP MILLING MACHINE WITH ATC AND 4TH AXIS	14.500,00
MDX-540	MILLING MACHINE	18.500,00
MDX-540S	MILLING MACHINE INCL. PRECISE SPINDLE	21.600,00

## Impact Printer

### MPX Series

Material	Material Description	EUR price
MPX-95	DESKTOP IMPACT ENGRAVING MACHINE	4.500,00
GK-1	GIFT KIT, FIXTURE SET	1.200,00
DK-1	DPM MEDICAL MARKING KIT, INCLUDING SOFTWARE	4.000,00
MPH-90	REPLACEMENT HEAD FOR MPX-90/95	275,00

## Laser Foil Decorator

Material	Material Description	EUR price
LD-80	LASER FOIL DECORATOR	7.600,00
AL-80	LIGHT-ABSORBING FILM FOR LD-80	149,00
HC-80	INTERCHANGEABLE LENS FOR LD-80	250,00

## Engravers

### EGX Series & DE-3

Material	Material Description	EUR price
EGX-30A	DESKTOP ENGRAVING MACHINE INCL. VKIT	3.200,00
EGX-350	MID RANGE ENGRAVING MACHINE	4.700,00
DE-3	DESKTOP ENGRAVER	5.750,00

Imagine.

## Accessories

### SRM-20

Material	Material Description	EUR price
ZHS-100	HIGH SPEED STEEL DIA. 1 3(l)*6(d)*50(L)*2NT	25,00
ZHS-200	HIGH SPEED STEEL DIA. 2 6(l)*6(d)*50(L)*2NT	25,00
ZHS-300	HIGH SPEED STEEL DIA. 3 10(l)*6(d)*50(L)*2NT	25,00
ZHS-400	HIGH SPEED STEEL DIA. 4 12(l)*6(d)*50(L)*2NT	25,00
ZHS-500	HIGH SPEED STEEL DIA. 5 15(l)*6(d)*55(L)*2NT	25,00
ZHS-600	HIGH SPEED STEEL DIA. 6 15(l)*6(d)*55(L)*2NT	25,00
ZHS-3015	HIGH SPEED STEEL DIA. 3 15(l)*6(d)*50(L)*2NT 2 PIECE	110,00
ZCB-150	CEMENTED CARBIDE R1.5 25 (l)*2.4(Lc)*65(L)*6(d)*2NT	120,00
ZCB-200	CEMENTED CARBIDE R2 25 (l)*3.2(Lc)*70(L)*6(d)*2NT	120,00
ZCB-300	CEMENTED CARBIDE R3 30 (l)*4.8(Lc)*80(L)*6(d)*2NT	145,00
ZEC-100	CEMENTED CARBIDE DIA.6*50(L)*0.225(W)	60,00
ZC-20-30	DIA. 3MM COLLET	30,00
ZC-20-32	DIA. 3.175MM COLLET	50,00
ZC-20-40	DIA. 4MM COLLET	50,00
ZC-20-60	DIA. 6MM COLLET	50,00
SM-20	SPINDLE MOTOR FOR REPLACEMENT	83,00
SS-20	SPINDLE UNIT FOR REPLACEMENT	200,00

Unit: mm, dia. =flute diameter, R=flute radius; Lc=cutting length, l=flute length, d=shank diameter, L=overall length, NT=number of flutes, W=blade width

# Imagine.

## Accessories

### MDX-40A

Material	Material Description	EUR price
ZHS-100	HIGH SPEED STEEL DIA. 1 3(l)*6(d)*50(L)*2NT	25,00
ZHS-200	HIGH SPEED STEEL DIA. 2 6(l)*6(d)*50(L)*2NT	25,00
ZHS-300	HIGH SPEED STEEL DIA. 3 10(l)*6(d)*50(L)*2NT	25,00
ZHS-400	HIGH SPEED STEEL DIA. 4 12(l)*6(d)*50(L)*2NT	25,00
ZHS-500	HIGH SPEED STEEL DIA. 5 15(l)*6(d)*55(L)*2NT	25,00
ZHS-600	HIGH SPEED STEEL DIA. 6 15(l)*6(d)*55(L)*2NT	25,00
ZHS-3015	HIGH SPEED STEEL DIA. 3 15(l)*6(d)*50(L)*2NT 2 PIECE	110,00
ZCB-150	CEMENTED CARBIDE R1.5 25 (l)*2.4(Lc)*65(L)*6(d)*2NT	120,00
ZCB-200	CEMENTED CARBIDE R2 25 (l)*3.2(Lc)*70(L)*6(d)*2NT	120,00
ZCB-300	CEMENTED CARBIDE R3 30 (l)*4.8(Lc)*80(L)*6(d)*2NT	145,00
ZC-23	DIA. 3MM, DIA. 4MM, DIA. 5MM, DIA. 6MM INCLUDING 1PC. EACH	142,00
ZC-23-3	DIA. 3MM COLLET	50,00
ZC-23-4	DIA. 4MM COLLET	50,00
ZC-23-6	DIA. 6MM COLLET	50,00
ZC-23-3175	DIA. 3.175MM COLLET	35,00
ZEC-A4013	CEMENTED CARBIDE DIA. 4.36*165(L)*0.127(W)	33,00
ZEC-A4025	CEMENTED CARBIDE DIA. 4.36*165(L)*0.254(W)	33,00
ZEC-A4051	CEMENTED CARBIDE DIA. 4.36*165(L)*0.508(W)	33,00
ZEC-A4076	CEMENTED CARBIDE DIA. 4.36*165(L)*0.762(W)	33,00
ZEC-100	CEMENTED CARBIDE DIA.6*50(L)*0.225(W)	60,00
ZEC-A4013-QR	CEMENTED CARBIDE DIA. 4.36*165(L)*0.13(W)	36,00
ZEC-A4025-QR	CEMENTED CARBIDE DIA. 4.36*165(L)*0.25(W)	36,00
ZEC-A4150	CEMENTED CARBIDE DIA. 4.36*165(L)*1.52(W)	34,00
ZEC-A4190	CEMENTED CARBIDE DIA. 4.36*165(L)*1.91(W)	34,00
ZEC-A4230	CEMENTED CARBIDE DIA. 4.36*165(L)*2.29(W)	34,00
ZEC-A4320	CEMENTED CARBIDE DIA. 4.36*165(L)*3.175(W)	34,00
ZEC-A4380	CEMENTED CARBIDE DIA. 4.36*165(L)*3.81(W)	34,00
ZEC-A4430	CEMENTED CARBIDE DIA. 4.36*165(L)*4.34(W)	34,00
ZC-E436	DIA. 4.36 MM	
AS-10	ADHESIVE SHEET 210MM*140MM, (10PCS 22565591)	38,00
ZCL-40A	ROTARY AXIS	2.400,00
ZSC-1	SCANNING SENSOR UNIT	300,00
ZS-40	REPLACEMENT SPLINDLE UNIT	
ZDX-40	DUST BOX 669(W)*769(D)*97(H)MM	

Unit: mm, dia. =flute diameter, R=flute radius; Lc=cutting length, l=flute length, d=shank diameter, L=overall length, NT=number of flutes, W=blade width

Imagine.

## Accessories

### MDX-50

Material	Material Description	EUR price
ZCL-50	ROTARY AXIS	3.500,00
ZS-50-6	METRIC SPINDLE UNIT WITH 6MM COLLET AND DRIVE BELT SPINDLE UNIT MDX-50	980,00
ZS-50-1/4	IMPERIAL SPINDLE UNIT WITH 1/4INCH COLLET AND DRIVE BELT SPINDLE UNIT MDX-50	1.202,00
ZC-50-6	6MM COLLET	471,50
ZC-50-1/4	6,35MM COLLET	591,50
ZHS-100	HIGH SPEED STEEL DIA. 1 3(l)*6(d)*50(L)*2NT	25,00
ZHS-200	HIGH SPEED STEEL DIA. 2 6(l)*6(d)*50(L)*2NT	25,00
ZHS-300	HIGH SPEED STEEL DIA. 3 10(l)*6(d)*50(L)*2NT	25,00
ZHS-400	HIGH SPEED STEEL DIA. 4 12(l)*6(d)*50(L)*2NT	25,00
ZHS-500	HIGH SPEED STEEL DIA. 5 15(l)*6(d)*55(L)*2NT	25,00
ZHS-600	HIGH SPEED STEEL DIA. 6 15(l)*6(d)*55(L)*2NT	25,00
ZHS-3015	HIGH SPEED STEEL DIA. 3 15(l)*6(d)*50(L)*2NT 2 PIECE	110,00
ZH-6	TOOL SHANK DIA. FOR 6MM FOR ZS-50-6 AND ZC-50-6	36,30
ZH-4	TOOL SHANK DIA. FOR 4MM FOR ZS-50-6 AND ZC-50-6	36,30
ZH-3	TOOL SHANK DIA. FOR 3MM FOR ZS-50-6 AND ZC-50-6	36,30
ZH-1/4	TOOL SHANK 6,35MM FOR ZS-50-1/4 AND ZC-50-1/4	37,50
ZH-1/8	TOOL SHANK 3,175MM FOR ZS-50-1/4 AND ZC-50-1/4	37,50
ZW-200	MODELING WAX, 10PCS	213,50
ZSM-SX	CHEMICAL WOOD, 5PCS	85,50
ZCB-150	CEMENTED CARBIDE R1.5 25(l) * 2.4(Lc) * 6(d) * 65(L) * 2NT	120,00
ZCB-200	CEMENTED CARBIDE R2.0 25(l) * 3.2(Lc) * 6(d) * 70(L) * 2NT	120,00
ZCB-300	EMENTED CARBIDE R3.0 30(l) * 4.8(Lc) * 6(d) * 80(L) * 2NT	120,00
AS-10	ADHESIVE SHEET (10PCS 22565591)	38,00

Unit: mm, dia. =flute diameter, R=flute radius; Lc=cutting length, l=flute length, d=shank diameter, L=overall length, NT=number of flutes, W=blade width

# Imagine.

## Accessories

### MDX-540

Material	Material Description	EUR price
ZS-540TY	STANDARD SPINDLE	950,00
ZAT-540	AUTOMATIC TOOL CHANGER FOR MDX-540	8.165,00
ZCL-540	ROTARY 4TH AXIS FOR MDX-540	4.365,00
ZTT-540	T-SLOT TABLE MDX-540	1.150,00
ZBX-540E	SAFETY COVER MDX-540	1.400,00
ZHS-100	HIGH SPEED STEEL DIA. 1 3(l)*6(d)*50(L)*2NT	25,00
ZHS-200	HIGH SPEED STEEL DIA. 2 6(l)*6(d)*50(L)*2NT	25,00
ZHS-300	HIGH SPEED STEEL DIA. 3 10(l)*6(d)*50(L)*2NT	25,00
ZHS-400	HIGH SPEED STEEL DIA. 4 12(l)*6(d)*50(L)*2NT	25,00
ZHS-500	HIGH SPEED STEEL DIA. 5 15(l)*6(d)*55(L)*2NT	25,00
ZHS-600	HIGH SPEED STEEL DIA. 6 15(l)*6(d)*55(L)*2NT	25,00
ZHS-3015	HIGH SPEED STEEL DIA. 3 15(l)*6(d)*50(L)*2NT 2 PIECE	110,00
ZH-6	TOOL SHANK DIA. FOR 6MM FOR ZS-50-6 AND ZC-50-6	36,30
ZH-4	TOOL SHANK DIA. FOR 4MM FOR ZS-50-6 AND ZC-50-6	36,30
ZH-3	TOOL SHANK DIA. FOR 3MM FOR ZS-50-6 AND ZC-50-6	36,30
ZH-1/4	TOOL SHANK 6,35MM FOR ZS-50-1/4 AND ZC-50-1/4	37,50
ZH-1/8	TOOL SHANK 3,175MM FOR ZS-50-1/4 AND ZC-50-1/4	37,50
ZW-200	MODELING WAX, 10PCS	213,50
ZSM-SX	CHEMICAL WOOD, 5PCS	85,50
ZC-23	COLLET SET (3,4,5 & 6 MM)	142,00

Unit: mm, dia. =flute diameter, R=flute radius; Lc=cutting length, l=flute length, d=shank diameter, L=overall length, NT=number of flutes, W=blade width

# Imagine.

## Accessories

### EGX-30A

Material	Material Description	EUR price
ZUS-400	CEMENTED CARBIDE SQUARE END MILL 4MM	75,00
ZUS-500	CEMENTED CARBIDE SQUARE END MILL 5MM	80,00
ZS-600	SPINDLE FOR EGX-400	475,00
ZV-500C	CENTER VISE FOR MDX-500/650	1.045,00
ZAD-600	VACUUM ADAPTER FOR EGX-400/600	181,00
ZEC-A2013	CEMENTED CARBIDE DIA. 3.175*114(L)*0.127(W)	25,00
ZEC-A2025	CEMENTED CARBIDE DIA. 3.175*114(L)*0.254(W)	25,00
ZEC-A2051	CEMENTED CARBIDE DIA. 3.175*114(L)*0.508(W)	25,00
ZEC-A2076	CEMENTED CARBIDE DIA. 3.175*114(L)*0.726(W)	25,00
ZEC-A2013-QR	CEMENTED CARBIDE DIA. 4.36*165(L)*0.13(W)	28,00
ZEC-A2025-QR	CEMENTED CARBIDE DIA. 4.36*165(L)*0.25(W)	28,00
ZEC-A2150	CEMENTED CARBIDE FLAT CUTTER DIA. 3.175*114(L)*1.52(W)	27,00
ZEC-A2190	CEMENTED CARBIDE FLAT CUTTER DIA. 3.175*114(L)*1.91(W)	27,00
ZEC-A2230	CEMENTED CARBIDE FLAT CUTTER DIA. 3.175*114(L)*2.29(W)	27,00
ZEC-A2320	CEMENTED CARBIDE FLAT CUTTER DIA. 3.175*114(L)*3.175(W)	27,00
ZDC-A2000	CAM2 DIAMOND CUTTER DIA. 3.175*127(L)	36,00
ZDC-A4000	CAM2 DIAMOND CUTTER DIA. 4.36*178(L)	40,00
ZEC-A4013	CEMENTED CARBIDE DIA. 4.36*165(L)*0.127(W)	33,00
ZEC-A4025	CEMENTED CARBIDE DIA. 4.36*165(L)*0.254(W)	33,00
ZEC-A4051	CEMENTED CARBIDE DIA. 4.36*165(L)*0.508(W)	33,00
ZEC-A4076	CEMENTED CARBIDE DIA. 4.36*165(L)*0.762(W)	33,00
ZEC-A4150	CEMENTED CARBIDE DIA. 4.36*165(L)*0.152(W)	34,00
ZEC-A4190	CEMENTED CARBIDE DIA. 4.36*165(L)*1.91(W)	34,00
ZEC-A4230	CEMENTED CARBIDE DIA. 4.36*165(L)*2.29(W)	34,00
ZEC-A4320	CEMENTED CARBIDE DIA. 4.36*165(L)*3.175(W)	34,00
ZEC-A4380	CEMENTED CARBIDE DIA. 4.36*165(L)*3.81(W)	34,00
ZEC-A4430	CEMENTED CARBIDE DIA. 4.36*165(L)*4.34(W)	34,00

Unit: mm, dia. =flute diameter, R=flute radius; Lc=cutting length, l=flute length, d=shank diameter, L=overall length, NT=number of flutes, W=blade width

# Imagine.

## Accessories

### EGX-350 & DE-3

Material	Material Description	EUR price
ZV-23C	LOADABLE MATERIAL USING JIG FOR NAMEPLATE	323,00
ZTT-35	T-SLOT TABLE 355 MM(W)* 230 MM(D) * 40 MM(H)	234,00
ZV-23A	VACUM TABLE 305 MM(X) * 230 MM(Y)	190,00
ZUS-400	CEMENTED CARBIDE SQUARE END MILL 4MM	75,00
ZUS-500	CEMENTED CARBIDE SQUARE END MILL 5MM	80,00
ZS-600	SPINDLE FOR EGX-400	475,00
ZV-500C	CENTER VISE FOR MDX-500/650	1.045,00
ZAD-600	VACUUM ADAPTER FOR EGX-400/600	181,00
ZEC-A2013	CEMENTED CARBIDE DIA. 3.175*114(L)*0.127(W) ( FOR PLASTIC)	25,00
ZEC-A2025	CEMENTED CARBIDE DIA. 3.175*114(L)*0.254(W)( FOR PLASTIC)	25,00
ZEC-A2051	CEMENTED CARBIDE DIA. 3.175*114(L)*0.508(W)( FOR PLASTIC)	25,00
ZEC-A2076	CEMENTED CARBIDE DIA. 3.175*114(L)*0.726(W) ( FOR PLASTIC)	25,00
ZEC-A2013-QR	CEMENTED CARBIDE DIA. 3.175*114(L)*0.127(W) ( FOR PLASTIC)	28,00
ZEC-A2025-QR	CEMENTED CARBIDE DIA. 3.175*114(L)*0.25(W) ( FOR PLASTIC)	28,00
ZEC-A2150	CEMENTED CARBIDE FLAT CUTTER DIA. 3.175 * 114 (L) * 1.52(W) ( FOR PLASTIC)	27,00
ZEC-A2190	CEMENTED CARBIDE FLAT CUTTER DIA. 3.175 * 114(L) * 1.91(W) ( FOR PLASTIC)	27,00
ZEC-A2230	CEMENTED CARBIDE FLAT CUTTER DIA. 3.175 * 114(L) * 2.29(W) ( FOR PLASTIC)	27,00
ZEC-A2320	CEMENTED CARBIDE FLAT CUTTER DIA. 3.175 * 114(L)* 3.175(W) ( FOR PLASTIC)	27,00
ZEC-A4013-QR	CEMENTED CARBIDE DIA. 4.36 * 165(L)* 0.13(W) ( FOR PLASTIC)	36,00
ZEC-A4025-QR	CEMENTED CARBIDE DIA. 4.36 * 165(L) * 0.254(W) ( FOR PLASTIC)	36,00
ZEC-A4051	CEMENTED CARBIDE DIA. 4.36 * 165(L)* 0.508(W) ( FOR PLASTIC)	33,00
ZEC-A4076	CEMENTED CARBIDE DIA. 4.36 * 165(L)* 0.762(W) ( FOR PLASTIC)	33,00
ZEC-A4380	CEMENTED CARBIDE FLAT CUTTER DIA. 4.36 * 165(L)* 3.81(W) ( FOR PLASTIC)	34,00
ZEC-A4430	CEMENTED CARBIDE FLAT CUTTER DIA. 4.36 * 165(L) * 4.34(W) ( FOR PLASTIC)	34,00
AS-10	10SHEETS	38,00

Unit: mm, dia. =flute diameter, R=flute radius; Lc=cutting length, l=flute length, d=shank diameter, L=overall length, NT=number of flutes, W=blade width

# Imagine.



## EGX-350 &amp; DE-3

Material	Material Description	EUR price
ZEC-A2013-BAL	CEMENTED CARBIDE DIA. 3.175*114(L)*0.13(W) (ALUMINIUM OR BRASS)	35,00
ZEC-A2025-BAL	CEMENTED CARBIDE DIA. 3.175*114(L)*0.25(W) (ALUMINIUM OR BRASS)	35,00
ZEC-A4013-BAL	CEMENTED CARBIDE DIA. 4.36*165(L)*0.13(W) (ALUMINIUM OR BRASS)	35,00
ZEC-A4025-BAL	CEMENTED CARBIDE DIA. 4.36*165(L)*0.25(W) (ALUMINIUM OR BRASS)	35,00
ZDC-A2000	CAM2 DIAMONDCUTTER DIA. 3.175 * 127(L)	36,00
ZDC-A4000	CAM2 DIAMONDCUTTER DIA. 4.36 * 178(L)	40,00
ZHS-100	HIGH SPEED STEEL DIA. 1 3(l)*6(d)*50(L)*2NT	25,00
ZHS-200	HIGH SPEED STEEL DIA. 2 6(l)*6(d)*50(L)*2NT	25,00
ZHS-300	HIGH SPEED STEEL DIA. 3 10(l)*6(d)*50(L)*2NT	25,00
ZHS-400	HIGH SPEED STEEL DIA. 4 12(l)*6(d)*50(L)*2NT	25,00
ZHS-500	HIGH SPEED STEEL DIA. 5 15(l)*6(d)*55(L)*2NT	25,00
ZHS-600	HIGH SPEED STEEL DIA. 6 15(l)*6(d)*55(L)*2NT	25,00
ZCB-150	CEMENTED CARBIDE R1.5 25(l) * 2.4(Lc) * 6(d) * 65(L) * 2NT	120,00
ZCB-200	CEMENTED CARBIDE R2.0 25(l) * 3.2(Lc) * 6(d) * 70(L) * 2NT	120,00
ZCB-300	CEMENTED CARBIDE R3.0 30(l) * 4.8(Lc) * 6(d) * 80(L) * 2NT	145,00
ZC-23	DIA. 3MM, DIA. 4MM, DIA. 5MM, DIA. 6MM INCLUDING 1PC. EACH	142,00
ZC-23-3	DIA. 3MM COLLET	50,00
ZC-23-4	DIA. 4MM COLLET	50,00
ZC-23-6	DIA. 6MM COLLET	50,00
ZC-23-3175	DIA. 3.175MM COLLET	35,00
ZC-E436	4.36MM COLLET 1PC.	21,00
ZDN-200	DEPTH NOSE GUARD INNER DIA. 2MM OUTER DIA. 4.2	23,00
ZS-35	REPLACEMENT SPINDLE	242,00
AS-10	ADHESIVE SHEET (10PCS 22565591)	38,00
DRN-20	NOSE BEARING	31,00
ZB-20	BURNISHING ATTACHMENT	89,00
ZM-12	REPLACEMENT MOTOR	133,00
SX-UP2	USB ADAPTER	67,00

Unit: mm, dia. =flute diameter, R=flute radius; Lc=cutting length, l=flute length, d=shank diameter, L=overall length, NT=number of flutes, W=blade width

# Imagine.